

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418

VRST-SM-1811-A

Batch ID or Lot Number: VRST-SM-1811-A	Test: Potency	Reported: 24Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000249773	Started: 22Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 21Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.153	0.514	ND	ND	# of Servings = 1, Sample Weight=368.1g
Cannabichromenic Acid (CBCA)	0.140	0.470	ND	ND	
Cannabidiol (CBD)	0.466	1.288	ND	ND	
Cannabidiolic Acid (CBDA)	0.478	1.321	ND	ND	
Cannabidivarin (CBDV)	0.110	0.305	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.200	0.551	ND	ND	
Cannabigerol (CBG)	0.087	0.292	ND	ND	
Cannabigerolic Acid (CBGA)	0.363	1.219	ND	ND	
Cannabinol (CBN)	0.113	0.380	ND	ND	
Cannabinolic Acid (CBNA)	0.248	0.832	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.433	1.452	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.393	1.319	3.270	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.348	1.169	ND	ND	
Tetrahydrocannabivarin (THCV)	0.079	0.265	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.307	1.031	ND	ND	
Total Cannabinoids			3.270	0.00	
Total Potential THC			3.270	0.00	
Total Potential CBD			ND	ND	

Final ApprovalSam Smith
24Jul2023
02:18:00 PM MDT

PREPARED BY / DATE

Karen Winternheimer
24Jul2023
02:23:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/1b0a9b88-a342-44d0-84e6-b8600c715201>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

1b0a9b88a34244d084e6b8600c715201.1