

Prepared for:
Kind Botanicals
3985 S Lincoln Ave
Loveland, CO USA 80537

050724-Juicy Orange Drops 2400mg-HTD060121


Batch ID or Lot Number: KB119	Test, Test ID and Methods: Various	Matrix: Concentrate	Page 1 of 2
Reported: 13May2024	Started: 10May2024	Received: 08May2024	

**Cannabinoids - Colorado
Compliance**

Test ID: T000280168
Methods: TM14 (HPLC-DAD): Potency – Standard
Cannabinoid Analysis

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.006	0.021	0.023	0.23	
Cannabichromenic Acid (CBCA)	0.006	0.019	ND	ND	
Cannabidiol (CBD)	0.021	0.056	7.595	75.95	
Cannabidiolic Acid (CBDA)	0.021	0.057	ND	ND	
Cannabidivarin (CBDV)	0.005	0.013	0.034	0.34	
Cannabidivarinic Acid (CBDVA)	0.009	0.024	ND	ND	
Cannabigerol (CBG)	0.004	0.012	0.057	0.57	
Cannabigerolic Acid (CBGA)	0.015	0.051	ND	ND	
Cannabinol (CBN)	0.005	0.016	0.027	0.27	
Cannabinolic Acid (CBNA)	0.010	0.034	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.018	0.060	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.017	0.055	0.128	1.28	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.015	0.048	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.011	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.013	0.043	ND	ND	
Total Cannabinoids			7.864	78.64	
Total Potential THC			0.128	1.28	
Total Potential CBD			7.595	75.95	

Final Approval

 K Winternheimer PREPARED BY / DATE	Karen Winternheimer 13May2024 12:56:00 PM MDT	 Samantha Smith APPROVED BY / DATE	Sam Smith 13May2024 12:58:00 PM MDT
---	---	---	---

Prepared for:
Kind Botanicals
3985 S Lincoln Ave
Loveland, CO USA 80537

050724-Juicy Orange Drops 2400mg-HTD060121

Batch ID or Lot Number: KB119	Test, Test ID and Methods: Various	Matrix: Concentrate	Page 2 of 2
Reported: 13May2024	Started: 10May2024	Received: 08May2024	

Microbial Contaminants - Colorado Compliance

Test ID: T000280169
Methods: TM25 (qPCR) TM24, TM26,
TM27 (Culture Plating): Microbial
(Colorado Panel)

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval

 Brett Hudson 13May2024 01:20:00 PM MDT	 Brianne Maillot 14May2024 07:47:00 PM MDT
PREPARED BY / DATE	APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/38efd323-7624-4b46-97b9-6b6353e9ade0>

Definitions
LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa *(0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit [A2LA for more details](#).



Cert #4329.02
38efd32376244b4697b96b6353e9ade0.1