

Prepared for:

Fulton Brewing

2540 2nd Street NE


Minneapolis, MN USA 55418

CLR-PH 1956

Batch ID or Lot Number: CLR-PH 1956	Test: Potency	Reported: 11Apr2024	USDA License: N/A
Matrix: Unit	Test ID: T000276881	Started: 10Apr2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Apr2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.149	0.402	ND	ND	# of Servings = 1, Sample Weight=347.44g
Cannabichromenic Acid (CBCA)	0.136	0.368	ND	ND	
Cannabidiol (CBD)	0.722	1.486	ND	ND	
Cannabidiolic Acid (CBDA)	0.740	1.524	ND	ND	
Cannabidivarin (CBDV)	0.171	0.351	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.309	0.636	ND	ND	
Cannabigerol (CBG)	0.084	0.228	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.353	0.954	ND	ND	
Cannabinol (CBN)	0.110	0.298	0.360	0.00	
Cannabinolic Acid (CBNA)	0.241	0.651	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.421	1.137	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.382	1.032	9.540	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.338	0.915	ND	ND	
Tetrahydrocannabivarin (THCV)	0.077	0.208	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.298	0.807	ND	ND	
Total Cannabinoids			9.900	0.00	
Total Potential THC			9.540	0.00	
Total Potential CBD			ND	ND	

Final Approval

Karen Winternheimer

11Apr2024

12:13:00 PM MDT

PREPARED BY / DATE



Phillip Travisano

11Apr2024

12:14:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/4163de63-f05c-46a7-bced-2c0a7bf91b1b>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

4163de63f05c46a7bced2c0a7bf91b1b.1