SC Labs®
Formerly Botanacor Labs

Official Compliance: Colorado

CERTIFICATE OF ANALYSIS

Prepared for:
CBD Pain Relief, Ltd.
16035 Table Mountain Parkway
Golden, CO US 80403

CBDa Isolate

Batch ID or Lot Number:	Test:	Reported:	USDA License:
IS-CBDa-J-Jul-01-25	**Microbial Contaminants**	**18Aug2025**	N/A
Matrix:	Test ID:	Started:	Sampler ID:
General/Other	T000310281	14Aug2025	N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 10Jul2025	Status: Active

Microbial Contaminants

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10^0 CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
Salmonella	TM25: PCR	10^0 CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10^1 CFU/g	$1.0x10^2$ - $1.5x10^4$	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10^2 CFU/g	$1.0x10^3$ - $1.5x10^5$	<LLOQ	
Total Coliforms*	TM27: Culture Plating	10^1 CFU/g	$1.0x10^2$ - $1.5x10^4$	None Detected	

Final Approval

Brett Hudson
18Aug2025
11:00:00 AM MDT
PREPARED BY / DATE

Aimee Lowe
18Aug2025
11:38:00 AM MDT
APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/41f09df2-3700-4b41-a5fb-a929e194a921

Definitions
* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10^2 = 100 CFU, 10^3 = 1,000 CFU, 10^4 = 10,000 CFU, 10^5 = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.

Cert #4329.02

CDPHE Certified

41f09df237004b41a5fba929e194a921.1