

Prepared for:

maryCBD

1100 Military Rd, Unit 1
Kenmore, NY USA 14217

mary Full Spectrum Hemp Extract Skin Treatment

Batch ID or Lot Number: maryfs-23157a	Test: Potency	Reported: 22Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000246507	Started: 20Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.373	4.747	39.530	1.40	# of Servings = 1, Sample Weight=27.3g
Cannabichromenic Acid (CBCA)	1.255	4.342	ND	ND	
Cannabidiol (CBD)	5.756	13.888	1135.100	41.60	
Cannabidiolic Acid (CBDA)	5.904	14.244	ND	ND	
Cannabidivarin (CBDV)	1.361	3.285	7.250	0.30	
Cannabidivarinic Acid (CBDVA)	2.463	5.942	ND	ND	
Cannabigerol (CBG)	0.779	2.695	ND	ND	
Cannabigerolic Acid (CBGA)	3.258	11.268	ND	ND	
Cannabinol (CBN)	1.017	3.516	ND	ND	
Cannabinolic Acid (CBNA)	2.223	7.688	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	3.881	13.424	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.525	12.191	29.050	1.10	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.123	10.801	ND	ND	
Tetrahydrocannabivarin (THCV)	0.709	2.452	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.755	9.527	ND	ND	
Total Cannabinoids			1210.930	44.40	
Total Potential THC			29.050	1.10	
Total Potential CBD			1135.100	41.60	

Final Approval



Karen Winternheimer
22Jun2023
03:13:00 PM MDT

PREPARED BY / DATE



Sam Smith
22Jun2023
03:18:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5777ab01-56af-4acf-a7d3-43cc5ae0e963>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

5777ab0156af4acfa7d343cc5ae0e963.1