

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418

CLR-CL-2003

Batch ID or Lot Number: 2003	Test: Potency	Reported: 10Jun2024	USDA License: N/A
Matrix: Unit	Test ID: T000283445	Started: 07Jun2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jun2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.117	0.452	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.107	0.413	ND	ND	
Cannabidiol (CBD)	0.446	1.212	ND	ND	
Cannabidiolic Acid (CBDA)	0.457	1.243	ND	ND	
Cannabidivarin (CBDV)	0.105	0.287	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.191	0.519	ND	ND	
Cannabigerol (CBG)	0.066	0.257	ND	ND	
Cannabigerolic Acid (CBGA)	0.278	1.073	ND	ND	
Cannabinol (CBN)	0.087	0.335	ND	ND	
Cannabinolic Acid (CBNA)	0.190	0.732	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.331	1.278	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.301	1.160	10.680	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.266	1.028	ND	ND	
Tetrahydrocannabivarin (THCV)	0.060	0.233	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.235	0.907	ND	ND	
Total Cannabinoids			10.680	0.00	
Total Potential THC			10.680	0.00	
Total Potential CBD			ND	ND	

Final ApprovalKaren Winternheimer
10Jun2024
02:08:00 PM MDT

PREPARED BY / DATE

Sam Smith
10Jun2024
02:27:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/8d579642-32d4-411d-bb44-bf0d7913823d>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

8d57964232d4411dbb44bf0d7913823d.1