

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418

VRST-SM

Batch ID or Lot Number: VRST-SM	Test: Potency	Reported: 01Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000250888	Started: 01Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.145	0.484	ND	ND	# of Servings = 1, Sample Weight=355.41g
Cannabichromenic Acid (CBCA)	0.133	0.443	ND	ND	
Cannabidiol (CBD)	0.457	1.281	ND	ND	
Cannabidiolic Acid (CBDA)	0.468	1.314	ND	ND	
Cannabidivarin (CBDV)	0.108	0.303	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.195	0.548	ND	ND	
Cannabigerol (CBG)	0.082	0.275	ND	ND	
Cannabigerolic Acid (CBGA)	0.344	1.149	ND	ND	
Cannabinol (CBN)	0.107	0.359	ND	ND	
Cannabinolic Acid (CBNA)	0.235	0.784	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.410	1.369	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.373	1.244	4.000	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.330	1.102	ND	ND	
Tetrahydrocannabivarin (THCV)	0.075	0.250	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.291	0.972	ND	ND	
Total Cannabinoids			4.000	0.00	
Total Potential THC			4.000	0.00	
Total Potential CBD			ND	ND	

Final ApprovalSam Smith
01Aug2023
01:12:00 PM MDTKaren Winternheimer
01Aug2023
01:16:00 PM MDT

PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/abb816d4-058b-400a-961c-c661b3c7f627>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

abb816d4058b400a961cc661b3c7f627.1