

Prepared for:

FARMHOUSE HEMP1007 North College Avenue
Fort Collins, CO USA 80524**Root Beer**

Batch ID or Lot Number: 188012	Test: Potency	Reported: 20Sep2022	USDA License: N/A
Matrix: Unit	Test ID: T000221372	Started: 16Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.115	0.358	0.350	0.10	# of Servings = 1, Sample Weight=6g
Cannabichromenic Acid (CBCA)	0.106	0.327	ND	ND	
Cannabidiol (CBD)	0.321	0.940	10.810	1.80	
Cannabidiolic Acid (CBDA)	0.329	0.964	ND	ND	
Cannabidivarin (CBDV)	0.076	0.222	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.137	0.402	ND	ND	
Cannabigerol (CBG)	0.066	0.203	0.120	0.00	
Cannabigerolic Acid (CBGA)	0.274	0.850	ND	ND	
Cannabinol (CBN)	0.085	0.265	ND	ND	
Cannabinolic Acid (CBNA)	0.187	0.580	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.326	1.012	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.296	0.919	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.263	0.814	ND	ND	
Tetrahydrocannabivarin (THCV)	0.060	0.185	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.232	0.718	ND	ND	
Total Cannabinoids			11.280	1.88	
Total Potential THC			ND	ND	
Total Potential CBD			10.810	1.80	

Final ApprovalDaniel Weidensaul
20Sep2022
01:20:00 PM MDTJacob Miller
20Sep2022
01:21:00 PM MDT

PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/c019feaf-9613-44a1-b32c-358fdea33ab8>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

c019feaf961344a1b32c358fdea33ab8.1