SC Labs®
Formerly Botanacor Labs

CERTIFICATE OF ANALYSIS

Prepared for:
BONA FIDE BOTANICALS INC
3701 DROSSETT DR STE 170
AUSTIN, TX USA 78744

D9THC DISTY-Hemp Derived (BFB-PO097)


Batch ID or Lot Number:	Test:	Reported:	USDA License:
BFB LOT0648	**Pesticides**	**10Aug2023**	NA
Matrix:	Test ID:	Started:	Sampler ID:
Concentrate	T000251531	09Aug2023	NA
	Method(s):	Received:	Status:
	TM17 (LC-QQ LC MS/MS)	07Aug2023	NA

Pesticides

	Dynamic Range (ppb)	**Result** (ppb)
Abamectin	359 - 2672	ND
Acephate	42 - 2738	ND
Acetamiprid	40 - 2717	ND
Azoxystrobin	41 - 2742	ND
Bifenazate	37 - 2749	ND
Boscalid	42 - 2706	ND
Carbaryl	38 - 2730	ND
Carbofuran	39 - 2713	ND
Chlorantraniliprole	37 - 2700	ND
Chlorpyrifos	44 - 2773	ND
Clofentezine	282 - 2718	ND
Diazinon	281 - 2755	ND
Dichlorvos	284 - 2779	ND
Dimethoate	39 - 2701	ND
E-Fenpyroximate	285 - 2744	ND
Etofenprox	41 - 2702	ND
Etoxazole	300 - 2723	ND
Fenoxycarb	40 - 2752	ND
Fipronil	25 - 2763	ND
Flonicamid	51 - 2752	ND
Fludioxonil	268 - 2721	ND
Hexythiazox	38 - 2724	ND
Imazalil	278 - 2796	ND
Imidacloprid	39 - 2775	ND
Kresoxim-methyl	38 - 2784	ND

	Dynamic Range (ppb)	**Result** (ppb)
Malathion	280 - 2745	ND
Metalaxyl	39 - 2748	ND
Methiocarb	42 - 2682	ND
Methomyl	40 - 2756	ND
MGK 264 1	183 - 1683	ND
MGK 264 2	116 - 1071	ND
Myclobutanil	26 - 2717	ND
Naled	44 - 2783	ND
Oxamyl	42 - 2744	ND
Paclobutrazol	40 - 2738	ND
Permethrin	282 - 2786	ND
Phosmet	38 - 2733	ND
Prophos	302 - 2688	ND
Propoxur	40 - 2711	ND
Pyridaben	298 - 2729	ND
Spinosad A	29 - 2102	ND
Spinosad D	65 - 670	ND
Spiromesifen	273 - 2741	ND
Spirotetramat	267 - 2765	ND
Spiroxamine 1	17 - 1206	ND
Spiroxamine 2	21 - 1493	ND
Tebuconazole	275 - 2736	ND
Thiacloprid	41 - 2726	ND
Thiamethoxam	41 - 2759	ND
Trifloxystrobin	42 - 2710	ND

Final Approval



Karen Winternheimer
10Aug2023
11:53:00 AM MDT

PREPARED BY / DATE



Sam Smith
10Aug2023
12:34:00 PM MDT

APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/d496ad89-a211-4c6e-9909-edd29ddafa61

Definitions
ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

Cert #4329.02
d496ad89a2114c6e9909edd29ddafa61.1