

Prepared for:
Texas High Points LLC

The Fizz

Batch ID or Lot Number:	Test: Potency	Reported: 12Jun2024	USDA License: N/A
Matrix: Plant	Test ID: T000284004	Started: 12Jun2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 12Jun2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.017	0.059	0.070	0.70	
Cannabichromenic Acid (CBCA)	0.016	0.054	0.320	3.20	
Cannabidiol (CBD)	0.057	0.161	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.059	0.165	<LOQ	<LOQ	
Cannabidivaricin (CBDV)	0.014	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.025	0.069	ND	ND	
Cannabigerol (CBG)	0.010	0.034	0.200	2.00	
Cannabigerolic Acid (CBGA)	0.041	0.141	0.400	4.00	
Cannabinol (CBN)	0.013	0.044	ND	ND	
Cannabinolic Acid (CBNA)	0.028	0.096	<LOQ	<LOQ	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.049	0.168	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.045	0.152	0.530	5.30	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.040	0.135	29.130	291.30	
Tetrahydrocannabivarin (THCV)	0.009	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.035	0.119	<LOQ	<LOQ	
Total Cannabinoids			30.650	306.50	
Total Potential THC			26.077	260.77	
Total Potential CBD			0.000	0.00	

Final Approval



Karen Winternheimer
12Jun2024
03:30:00 PM MDT

PREPARED BY / DATE



APPROVED BY / DATE

Sam Smith
12Jun2024
03:32:00 PM MDT



<https://results.botanacor.com/api/v1/coas/uuid/d5fe7946-1649-4596-bbc2-95377dae3262>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa * (0.877)) and Total CBD = CBD + (CBDA * (0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
d5fe794616494596bbc295377dae3262.1