

Prepared for:

Fulton Brewing2540 2nd Street NE
Minneapolis, MN USA 55418**YBDT - 1742**

Batch ID or Lot Number: 1742	Test: Potency	Reported: 03Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000239960	Started: 30Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 30Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.170	0.527	ND	ND	# of Servings = 1, Sample Weight=357.42g
Cannabichromenic Acid (CBCA)	0.156	0.482	ND	ND	
Cannabidiol (CBD)	0.447	1.345	ND	ND	
Cannabidiolic Acid (CBDA)	0.459	1.379	ND	ND	
Cannabidivarin (CBDV)	0.106	0.318	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.191	0.575	ND	ND	
Cannabigerol (CBG)	0.097	0.299	ND	ND	
Cannabigerolic Acid (CBGA)	0.404	1.251	ND	ND	
Cannabinol (CBN)	0.126	0.390	ND	ND	
Cannabinolic Acid (CBNA)	0.276	0.853	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.482	1.490	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.438	1.353	5.040	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.388	1.199	ND	ND	
Tetrahydrocannabivarin (THCV)	0.088	0.272	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.342	1.057	ND	ND	
Total Cannabinoids			5.040	0.00	
Total Potential THC			5.040	0.00	
Total Potential CBD			ND	ND	

Final ApprovalKaren Winternheimer
31Mar2023
08:08:00 AM MDT

PREPARED BY / DATE

Sam Smith
31Mar2023
08:11:00 AM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/e6172378-3bdc-45bd-9234-1fd52de8ae60>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

e61723783bdc45bd92341fd52de8ae60.2