SC Labs®
Formerly Botanacor Labs

CERTIFICATE OF ANALYSIS

Prepared for:
Dangerous Man Brewing Co.
1300 2nd St. NE
Minneapolis, MN USA 55413


Mega Mango

Batch ID or Lot Number:	Test:	Reported:	USDA License:
	Potency	**29Sep2023**	N/A
Matrix:	Test ID:	Started:	Sampler ID:
Unit	T000257483	29Sep2023	N/A
	Method(s):	Received:	Status:
	TM14 (HPLC-DAD)	28Sep2023	N/A

Cannabinoids

	LOD (mg)	**LOQ** (mg)	**Result** (mg)	**Result** (mg/g)	**Notes**
Cannabichromene (CBC)	0.158	0.000	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.145	0.000	ND	ND	
Cannabidiol (CBD)	0.484	0.000	6.880	0.00	
Cannabidiolic Acid (CBDA)	0.496	0.000	ND	ND	
Cannabidivarin (CBDV)	0.114	0.000	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.207	0.000	ND	ND	
Cannabigerol (CBG)	0.090	0.000	ND	ND	
Cannabigerolic Acid (CBGA)	0.375	0.000	ND	ND	
Cannabinol (CBN)	0.117	0.000	ND	ND	
Cannabinolic Acid (CBNA)	0.256	0.000	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.447	0.000	0.470	0.00	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.406	0.000	7.730	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.360	0.000	ND	ND	
Tetrahydrocannabivarin (THCV)	0.082	0.000	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.317	0.000	ND	ND	
Total Cannabinoids			**15.080**	**0.00**	
Total Potential THC			7.730	0.00	
Total Potential CBD			6.880	0.00	

Final Approval



Sam Smith
29Sep2023
03:13:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
29Sep2023
03:15:00 PM MDT

APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/e9e487be-e0ae-43af-8049-4aa552d352eb

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

Cert #4329.02
e9e487bee0ae43af80494aa552d352eb.1