

Prepared for:

Fulton Brewing

2540 2nd Street NE


Minneapolis, MN USA 55418

CLR-PL-1754

Batch ID or Lot Number: 1754	Test: Potency	Reported: 12Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000248359	Started: 11Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.132	0.456	ND	ND	# of Servings = 1, Sample Weight=367.66g
Cannabichromenic Acid (CBCA)	0.121	0.417	ND	ND	
Cannabidiol (CBD)	0.526	1.359	ND	ND	
Cannabidiolic Acid (CBDA)	0.540	1.394	ND	ND	
Cannabidivarin (CBDV)	0.124	0.321	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.225	0.582	ND	ND	
Cannabigerol (CBG)	0.075	0.259	ND	ND	
Cannabigerolic Acid (CBGA)	0.314	1.082	ND	ND	
Cannabinol (CBN)	0.098	0.338	ND	ND	
Cannabinolic Acid (CBNA)	0.214	0.738	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.374	1.289	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.339	1.171	10.970	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.301	1.038	ND	ND	
Tetrahydrocannabivarin (THCV)	0.068	0.235	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.265	0.915	ND	ND	
Total Cannabinoids			10.970	0.00	
Total Potential THC			10.970	0.00	
Total Potential CBD			ND	ND	

Final Approval

Karen Winternheimer

12Jul2023

03:35:00 PM MDT

PREPARED BY / DATE



Sam Smith

12Jul2023

03:37:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/f2c590e3-f48a-4d34-83b8-3e86817ce49e>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

f2c590e3f48a4d3483b83e86817ce49e.1