

Prepared for:

Fulton Brewing

2540 2nd Street NE


Minneapolis, MN USA 55418

YBDT-1824

Batch ID or Lot Number: YBDT-1824	Test: Potency	Reported: 01Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000250885	Started: 01Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.152	0.506	ND	ND	# of Servings = 1, Sample Weight=369.2g
Cannabichromenic Acid (CBCA)	0.139	0.463	ND	ND	
Cannabidiol (CBD)	0.477	1.338	ND	ND	
Cannabidiolic Acid (CBDA)	0.489	1.373	ND	ND	
Cannabidivarin (CBDV)	0.113	0.317	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.204	0.573	ND	ND	
Cannabigerol (CBG)	0.086	0.287	ND	ND	
Cannabigerolic Acid (CBGA)	0.360	1.200	ND	ND	
Cannabinol (CBN)	0.112	0.375	ND	ND	
Cannabinolic Acid (CBNA)	0.245	0.819	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.428	1.430	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.389	1.299	4.730	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.345	1.151	ND	ND	
Tetrahydrocannabivarin (THCV)	0.078	0.261	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.304	1.015	ND	ND	
Total Cannabinoids			4.730	0.00	
Total Potential THC			4.730	0.00	
Total Potential CBD			ND	ND	

Final ApprovalSam Smith
01Aug2023
01:12:00 PM MDT

PREPARED BY / DATE

Karen Winternheimer
01Aug2023
01:16:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/feb877f3-29e8-4edd-9f40-9f0d8a586c2c>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

feb877f329e84edd9f409f0d8a586c2c.1